

WELDING AND CUTTING PRODUCTS

大连霍尼机械设备有限公司



大连霍尼机械设备有限公司
Dalian Honeybee CNC Equipment Co.,LTD

Tel:+86-411-62661646
E-mail: sale@honeybeecnc.cn



ABOUT US

关于我们



Line of business

Channel service
Channelsales
Research and development of laser

service guarantee

We offer complete training for our clients on operation and normal maintenance;
Find out reason for malfunction in time via various ways;
Ensure our clients producing won't be delayed.

业务范围

终端销售
渠道经销
激光研发

服务核心理念

培训完善
故障判断
及时保障



DESIGNED IN DTLASER

激光产品分类

- | | | |
|----|--------------------|--|
| 01 | H系列-封闭式交换平台光纤激光切割机 | Close type fiber laser cutting machine |
| 02 | G系列-开放式光纤激光切割机 | Open type fiber laser cutting machine |
| 03 | D系列-高速光纤激光切割机 | High speed fiber laser cutting machine |
| 04 | L系列-龙门式激光切割机 | Gantry laser cutting machine |
| 05 | B系列-交换工作台光纤激光切割机 | Shuttle platform Fiber laser cutting machine |
| 06 | X系列-管板一体式激光切割机 | CNC Laser Cutting Machine With Pipe |
| 07 | P系列-管类激光切割机 | Fiber pipe cutting machine |




Honeybee CNC



CLOSE TYPE FIBER LASER CUTTING MACHINE

H系列-封闭式交换平台光纤激光切割机




型号model	HN-H3015	HN-H4020	HN-H6020 HN-H6025	HN-H8025	HN-H1225
切割范围Cutting range	1500*3000mm	2000*4000mm	2000*6000mm 2500*6000mm	2500*8000mm	2500*12000mm
激光功率Laser power	1000W/1500W/2000W/2500W/3000W/4000W/6000W/8000W/10000W/12000W/15000W/20000W				
驱动方式Drive method	齿轮齿条Gear Rack				
定位精度Positioning accuracy	≤±0.05mm				
重复定位精度Reposition accuracy	≤±0.03mm				
电源要求Power supply	三相380/50HZ Triphase380/50HZ				



OPEN TYPE FIBER LASER CUTTING MACHINE

G系列-开放式光纤激光切割机



型号model	HN-G3015	HN-G4015 HN-G4020	HN-G6020 HN-G6025
切割范围Cutting range	1500*3000mm	1500*4000mm 2000*4000mm	2000*6000mm 2500*6000mm
激光功率Laser power	1000W/1500W/2000W/2500W/3000W		
驱动方式Drive method	齿轮齿条Gear Rack		
定位精度Positioning accuracy	≤±0.05mm		
重复定位精度Reposition accuracy	≤±0.03mm		
冷却类型Cooling type	水冷Water cooling		




Honeybee CNC

D系列
D SERIES

HIGH SPEED FIBER LASER CUTTING MACHINE

D系列-高速光纤激光切割机




型号 model	HN-D3015	HN-D4015 HN-D4020	HN-D6020 HN-D6025	HN-D8025	HN-D1225
切割范围Cutting range	1500*3000mm	1500*4000mm 2000*4000mm	2000*6000mm 2500*6000mm	2500*8000mm	2500*12000mm
激光功率Laser power	1000W/1500W/2000W/2500W/3000W/4000W/6000W/8000W/10000W/12000W/15000W/20000W				
驱动方式Drive method	齿轮齿条Gear Rack				
定位精度Positioning accuracy	≤±0.05mm				
重复定位精度Reposition accuracy	≤±0.03mm				
冷却类型Cooling type	水冷Water cooling				

L系列
L SERIES

GANTRY LASER CUTTING MACHINE

L系列-龙门式激光切割机



型号 model	HN-L2512	HN-L3012
切割范围Cutting range	2500*12000mm	3000*12000mm
激光功率Laser power	1000W/1500W/2000W/2500W/3000W/4000W/6000W/8000W/10000W/12000W/15000W/20000W	
驱动方式Drive method	齿轮齿条Gear Rack	
定位精度Positioning accuracy	≤±0.05mm	
重复定位精度Reposition accuracy	≤±0.03mm	
电源要求Power supply	三相380/50HZ Triphase380/50HZ	




Honeybee CNC



SHUTTLE PLATFORM FIBER LASER CUTTING MACHINE

B系列-交换工作台光纤激光切割机



型号model	HN-B3015	HN-B4020	HN-B6020	HN-B8025	HN-B1225
切割范围Cutting range	1500*3000mm	2000*4000mm	2000*6000mm	2500*8000mm	2500*12000mm
激光功率Laser power	1000W/1500W/2000W/2500W/3000W/4000W/6000W/8000W/10000W/12000W/15000W/20000W				
驱动方式Drive method	齿轮齿条Gear Rack				
定位精度Positioning accuracy	≤±0.05mm				
重复定位精度Reposition accuracy	≤±0.03mm				
电源要求Power supply	三相380/50HZ Triphase380/50HZ				



CNC LASER CUTTING MACHINE WITH PIPE

X系列-管板一体式激光切割机




型号model	HN-X160	HN-X210	HN-X300
夹紧方式	前气动+后气动 Front pneumatic + rear pneumatic 前手动+后气动 Front manual + rear pneumatic		
长度	米带长 3米 3 meters long	6米 6 meters	12米 12 meters
驱动方式Drive method	齿轮齿条Gear Rack		
定位精度Positioning accuracy	≤±0.05mm		
重复定位精度Reposition accuracy	≤±0.03mm		
冷却类型Cooling type	水冷Water cooling		


HN8025单平台外观

Single Platform













780mm


1700mm



900mm

HN6025大包围外观

Close and Shuttle Platform














HN8020板管一体外观

**Sheet and Pipe
Laser Cutting**





Honeybee CNC






Honeybee CNC






Honeybee CNC



HNP60200切管机外观

Pipe Laser Cutting







Metal structure with built-in LED

金属型材，内嵌蓝色灯带

HN-P60200

Luminous Logo


LOGO发光

上翻门

Tip-up door

落料车

Discharge hopper






Honeybee CNC

链板式切割线外观

**Coil Cutting
Production Line**





Honeybee CNC





Honeybee CNC









Honeybee CNC

龙门式激光外观

**Gantry Laser
Cutting Machine**

