

余姚市 13968228199



NINGBO YOU MIN ELECTRIC APPLIANCE CO., LTD.

Address: No.518 Beiyuan Road, Green Agricultural Products Processing Base, Chongshou Town, Cixi City, Zhejiang Province, China

Tel: 86-574-63296979 Fax: 86-574-63501332

QQ: 2535176545 E-mail: youmindianqi@qq.com <http://www.nbyoumin.com>

NINGBO YOU MIN ELECTRIC APPLIANCE CO., LTD.

www.nbyoumin.com

CONTENTS

CERAMIC HEATER

01

PTC-MH001R

02

PTC-1902
PTC-MH002

04

PTC-1901
PTC-903

05

PTC-903B
PTC-905

06

PTC-905A
PTC-SH001

08

PTC-SH002
PTC-SH002A

09

PTC-SH002R
PTC-SH002AR

10

PTC-SH003A
PTC-SH003AR

11

PTC-SH003AF
PTC-SH003ARF

12

PTC-SH005A
PTC-SH005AR

13

PTC-SH006AR
PTC-SH007AR

MICA HEATER

15

MH1615/MH1620
MH1615R/MH1620R

16

MH1715/MH1720
MH1715R/MH1720R

17

MH1815/MH1820

YOUMIN ELECTRIC APPLIANCE

CERAMIC HEATER



PTC-MH001R

PRODUCT FEATURES

- 2 heating settings: 300W/350W and normal fan
- PTC heating element
- Overheating protection
- Easy to carry
- LED display
- 1-12 hour timer
- Can set temperature
- Optional remote control
- Button switch
- UI94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
0.40kg	0.55kg	7920pcs
Qty/40'	Qty/40HQ	Qty/Ctn
17160pcs	20040pcs	12
Product size	Color package size	Carton size
94.5×96×176.5mm	125×121×200mm	385×252×415mm

PTC-MH002

PRODUCT FEATURES

1. Power: 300/350W
2. PTC heating element
3. Overheating protection
4. Easy to carry
5. LED display
6. Can set temperature
7. 1-12 timer
8. Key switch, optional remote control
9. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
0.5kg	0.65kg	7080pcs
Qty/40'	Qty/40HQ	Qty/Ctn
14484pcs	17316pcs	12
Product size	Color package size	Carton size
95×93×205mm	125×123×230mm	385×256×475mm



RAPID HEATING

No light and no noise



PTC-1902

PRODUCT FEATURES

1. Heating settings: 400W and normal fan
2. PTC heating element
3. Overheating protection
4. Ceramic plug in heater
5. LED display
6. 1-12 hour timer
7. Can set temperature
8. 3D simulation of fireplace flame
9. Touch the switch with remote control
10. Power indicator light
11. UI94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
0.5kg	0.65kg	6720pcs
Qty/40'	Qty/40HQ	Qty/Ctn
14280pcs	17040pcs	12
Product size	Color package size	Carton size
106×100×186mm	136×125×210mm	418×260×435mm



PTC-1901

PRODUCT FEATURES

1. 2 heating settings:
750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Safety tip-over switch
5. Adjustable thermostat
6. Power indicator light
7. UI94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
0.95kg	1.15kg	3920pcs
Qty/40'	Qty/40HQ	Qty/Ctn
8000pcs	9600pcs	8
Product size	Color package size	Carton size
158×112×212mm	188×142×240mm	386×294×495mm



PTC-903B

PRODUCT FEATURES

1. 2 heating settings:
750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Safety tip-over switch
5. Adjustable thermostat
6. Power indicator light
7. Recessed handle
8. Wide Angle oscillation
9. UI94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.55kg	1.75kg	2460pcs
Qty/40'	Qty/40HQ	Qty/Ctn
5040pcs	6000pcs	6
Product size	Color package size	Carton size
185×162×258mm	200×185×275mm	565×210×565mm



PTC-903

PRODUCT FEATURES

1. 2 heating settings:
750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Safety tip-over switch
5. Adjustable thermostat
6. Power indicator light
7. UI94-V0 grade flame retardant shell
8. Groove handle

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.35kg	1.55kg	2640pcs
Qty/40'	Qty/40HQ	Qty/Ctn
5460pcs	6480pcs	6
Product size	Color package size	Carton size
185×162×238mm	200×185×255mm	565×210×525mm



PTC-905

PRODUCT FEATURES

1. 2 heating settings:
750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Safety tip-over switch
5. Adjustable thermostat
6. Power indicator light
7. UI94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.35kg	1.60kg	2460pcs
Qty/40'	Qty/40HQ	Qty/Ctn
5040pcs	6048pcs	6
Product size	Color package size	Carton size
195×160×258mm	213×167×281mm	512×223×577mm



PTC-905A

PRODUCT FEATURES

1. 2 heating settings:
750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Safety tip-over switch
5. Adjustable thermostat
6. Wide Angle oscillation
7. Power indicator light
8. UI94-V0 grade flame retardant shell



PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.65kg	1.90kg	2280pcs
Qty/40'	Qty/40HQ	Qty/Ctn
4710pcs	5640pcs	6
Product size	Color package size	Carton size
195×160×276mm	213×167×304mm	515×223×623mm

PTC-SH001

PRODUCT FEATURES

1. 2 heating settings:
750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Safety tip-over switch
5. Adjustable thermostat
6. Power indicator light
7. Metal case



PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
2.02kg	2.27kg	2040pcs
Qty/40'	Qty/40HQ	Qty/Ctn
4320pcs	5160pcs	6
Product size	Color package size	Carton size
180×200×187mm	230×215×240mm	655×240×495mm

MULTIPLE SAFETY PROTECTION

- Overheating protection
- Safety tip-over switch



PTC-SH002

PRODUCT FEATURES

1. Power: 750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Adjustable thermostat
5. Power indicator light
6. Safety tip-over switch
7. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
0.97kg	1.1kg	4240pcs
Qty/40'	Qty/40HQ	Qty/Ctn
8720pcs	10400pcs	8
Product size	Color package size	Carton size
160×120×222mm	172×145×237mm	354×300×489mm



PTC-SH002R

PRODUCT FEATURES

1. Power: 750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Adjustable thermostat
5. Power indicator light
6. Safety tip-over switch
7. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
0.97kg	1.1kg	4240pcs
Qty/40'	Qty/40HQ	Qty/Ctn
8720pcs	10400pcs	8
Product size	Color package size	Carton size
160×120×222mm	172×145×237mm	354×300×489mm



PTC-SH002A

PRODUCT FEATURES

1. Power: 750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Adjustable thermostat
5. Power indicator light
6. Safety tip-over switch
7. 70° Widespread oscillation
8. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.13kg	1.26kg	3840pcs
Qty/40'	Qty/40HQ	Qty/Ctn
7920pcs	9456pcs	8
Product size	Color package size	Carton size
160×120×246mm	172×145×261mm	354×300×537mm



PTC-SH002AR

PRODUCT FEATURES

1. Power: 750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Adjustable thermostat
5. Power indicator light
6. Safety tip-over switch
7. 70° Widespread oscillation
8. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.13kg	1.26kg	3840pcs
Qty/40'	Qty/40HQ	Qty/Ctn
7920pcs	9456pcs	8
Product size	Color package size	Carton size
160×120×246mm	172×145×261mm	354×300×537mm



PTC-SH003A

PRODUCT FEATURES

1. Power: 750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Adjustable thermostat
5. Power indicator light
6. Safety tip-over switch
7. 70° Widespread oscillation
8. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.8kg	2.15kg	1132pcs
Qty/40'	Qty/40HQ	Qty/Ctn
2316pcs	2765pcs	1
Product size	Color package size	Carton size
174×167×478mm		219×212×528mm



PTC-SH003AF

PRODUCT FEATURES

1. Power: 750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Adjustable thermostat
5. Power indicator light
6. Safety tip-over switch
7. 70° Widespread oscillation
8. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.9kg	2.25kg	1132pcs
Qty/40'	Qty/40HQ	Qty/Ctn
2316pcs	2765pcs	1
Product size	Color package size	Carton size
174×167×478mm		219×212×528mm



PTC-SH003AR

PRODUCT FEATURES

1. Power: 750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Adjustable thermostat
5. Power indicator light
6. Safety tip-over switch
7. 70° Widespread oscillation
8. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.8kg	2.15kg	1132pcs
Qty/40'	Qty/40HQ	Qty/Ctn
2316pcs	2765pcs	1
Product size	Color package size	Carton size
174×167×478mm		219×212×528mm



PTC-SH003ARF

PRODUCT FEATURES

1. Power: 750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Adjustable thermostat
5. Power indicator light
6. Safety tip-over switch
7. 70° Widespread oscillation
8. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.9kg	2.25kg	1132pcs
Qty/40'	Qty/40HQ	Qty/Ctn
2316pcs	2765pcs	1
Product size	Color package size	Carton size
174×167×478mm		219×212×528mm



PTC-SH005A

PRODUCT FEATURES

1. Power: 750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Adjustable thermostat
5. Power indicator light
6. Safety tip-over switch
7. 70° Widespread oscillation
8. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.7kg	2.05kg	1590pcs
Qty/40'	Qty/40HQ	Qty/Ctn
3300pcs	3930pcs	6
Product size	Color package size	Carton size
169×144.5×403mm	199×179.5×443mm	408×547×458mm




PTC-SH006AR

PRODUCT FEATURES

1. Power: 750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Adjustable thermostat
5. Power indicator light
6. Safety tip-over switch
7. 70° Widespread oscillation
8. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.75kg	2.1kg	1520pcs
Qty/40'	Qty/40HQ	Qty/Ctn
3150pcs	3780pcs	6
Product size	Color package size	Carton size
169×144.5×422.5mm	199×179.5×462.5mm	408×547×477.5mm



PTC-SH005AR

PRODUCT FEATURES

1. Power: 750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Adjustable thermostat
5. Power indicator light
6. Safety tip-over switch
7. 70° Widespread oscillation
8. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.7kg	2.05kg	1590pcs
Qty/40'	Qty/40HQ	Qty/Ctn
3300pcs	3930pcs	6
Product size	Color package size	Carton size
169×144.5×403mm	199×179.5×443mm	408×547×458mm



PTC-SH007AR

PRODUCT FEATURES

1. Power: 750W/1500W and normal fan
2. PTC heating element
3. Overheating protection
4. Adjustable thermostat
5. Power indicator light
6. Safety tip-over switch
7. 70° Widespread oscillation
8. UL94-V0 grade flame retardant shell

PRODUCT PARAMETERS

Net weight	Gross weight	Qty/20'
1.68kg	2.03kg	1770pcs
Qty/40'	Qty/40HQ	Qty/Ctn
3640pcs	4350pcs	6
Product size	Color package size	Carton size
155×155×375.5mm	185×185×415.5mm	565×380×430.5mm



SIMPLE AND BEAUTIFUL SHAPE

Easy to move
Occupy little space



MH1615/MH1620

PRODUCT FEATURES

1. Manual switch with temperature controller, easy operation.
2. Power light
3. Safety tip-over switch.
4. Super thin frame, thickness of only 6cm.
5. Universal Wheels, easy to move.
6. Metal cover heating element, no power weakening, comfortable to get warm
7. Low temp on the surface, no bright flame, high anti-fire safety
8. Low heat capacity, high speed of temp rising
9. Natural convection heating up, no vibration and noise
10. Multiple safety protection, safe operation

PRODUCT PARAMETERS

MH1615:

Net weight	Gross weight	Power
4.1kg	5.1kg	1500W
Qty/20'	Product size	Carton size
590pcs	665×270×585mm	775×110×555mm

MH1620:

Net weight	Gross weight	Power
4.6kg	5.6kg	2000W
Qty/20'	Product size	Carton size
520pcs	765×270×585mm	875×110×555mm



MH1615R/MH1620R

PRODUCT FEATURES

1. Remote controller and micro-electronic switch for light touch, easy operation
2. LED digital design for setting temp, and running mode display
3. Desirable for setting 24hr timing power ON/OFF
4. Power light
5. Safety tip-over switch.
6. Setting electro lock
7. Super thin frame, thickness of only 6cm
8. Universal Wheels, easy to move
9. Multiple safety protection, safe operation

PRODUCT PARAMETERS

MH1615R:

Net weight	Gross weight	Power
4.3kg	5.3kg	1500W
Qty/20'	Product size	Carton size
590pcs	665×270×585mm	775×110×555mm

MH1620R:

Net weight	Gross weight	Power
4.8kg	5.8kg	2000W
Qty/20'	Product size	Carton size
520pcs	765×270×585mm	875×110×555mm



MH1715/MH1720**PRODUCT FEATURES**

1. Manual switch with temperature controller, easy operation.
2. Power light
3. Safety tip-over switch.
4. Super thin frame, thickness of only 6cm.
5. Universal Wheels, easy to move.
6. Metal cover heating element, no power weakening, comfortable to get warm
7. Low temp on the surface, no bright flame, high anti-fire safety
8. Low heat capacity, high speed of temp rising
9. Natural convection heating up, no vibration and noise
10. Multiple safety protection, safe operation

PRODUCT PARAMETERS**MH1715R:**

Net weight	Gross weight	Power
5.2kg	6.25kg	1500W
Qty/20'	Product size	Carton size
540pcs	705×265×585mm	845×110×555mm

MH1720R:

Net weight	Gross weight	Power
5.8kg	7.05kg	2000W
Qty/20'	Product size	Carton size
480pcs	805×265×585mm	945×110×555mm

**MH1815/MH1820****PRODUCT FEATURES**

1. Manual switch with temperature controller, easy operation.
2. Power light
3. Safety tip-over switch.
4. Super thin frame, thickness of only 6cm.
5. Universal Wheels, easy to move.
6. Metal cover heating element, no power weakening, comfortable to get warm
7. Low temp on the surface, no bright flame, high anti-fire safety
8. Low heat capacity, high speed of temp rising
9. Natural convection heating up, no vibration and noise
10. Multiple safety protection, safe operation

PRODUCT PARAMETERS**MH1815:**

Net weight	Gross weight	Power
4.1kg	4.8kg	1500W
Qty/20'	Product size	Carton size
590pcs	665×250×560mm	775×110×515mm

MH1820:

Net weight	Gross weight	Power
4.7kg	5.6kg	2000W
Qty/20'	Product size	Carton size
520pcs	765×250×560mm	875×110×515mm

**MH1715R/MH1720R****PRODUCT FEATURES**

1. Remoter controller and micro-electronic switch for light touch, easy operation
2. LED digital design for setting temp, and running mode display
3. Desirable for setting 24hr timing power ON/OFF
4. Power light
5. Safety tip-over switch.
6. Setting electro lock
7. Super thin frame, thickness of only 6cm
8. Universal Wheels, easy to move
9. Multiple safety protection, safe operation

PRODUCT PARAMETERS**MH1715R:**

Net weight	Gross weight	Power
5.2kg	6.51kg	1500W
Qty/20'	Product size	Carton size
540pcs	715×265×585mm	845×110×555mm

MH1720R:

Net weight	Gross weight	Power
5.72kg	7.56kg	2000W
Qty/20'	Product size	Carton size
480pcs	815×265×585mm	945×110×555mm

